TARIF

Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
		Câble d'alimentation Européen					
		SWITCHES					
		OmniStack 6200 - Commutateurs 10/100 stackables - L2+					
YAYA7	OS-LS-6212-EU	Commutateur empilable 6200 L2. 12 ports RJ-45 10/100 , 2 ports RJ-45 10/100/1000 et 2 ports combo. Les ports Combo consistent en 2 ports supplémentaires 10/100/1000 RJ-45 et 2 ports mini-GBIC. Chaque port Combo est utilisable soit en cuivre soit en fibre. Les ports MiniGBIC supportent des transceivers optiques Gigabit Ethernet SFP, qui doivent être commandés séparément. L'empilage se fait à travers les 2 ports RJ-45 10/100/1000 et un câble Ethernet standard. Alimentation redondante possible. Câble d'alimentation livré.	423 €	1	F		
YAYA7	OS-LS-6224-EU	Commutateur empilable 6200 L2. 24 ports RJ-45 10/100 , 2 ports RJ-45 10/100/1000 et 2 ports combo. Les ports Combo consistent en 2 ports supplémentaires 10/100/1000 RJ-45 et 2 ports mini-GBIC ports. Chaque port Combo est utilisable soit en cuivre soit en fibre. Les ports MiniGBIC supportent des transceivers optiques Gigabit Ethernet SFP, qui doivent être commandés séparément. L'empilage se fait à travers les 2 ports RJ-45 10/100/1000 et un câble Ethernet standard. Alimentation redondante possible. Câble d'alimentation livré.	577 €	1	F		
YAYA7	OS-LS-6248-EU	Commutateur empilable 6200 L2. 48 ports RJ-45 10/100 , 2 ports RJ-45 10/100/1000 et 2 ports combo. Les ports Combo consistent en 2 ports supplémentaires 10/100/1000 RJ-45 et 2 ports mini-GBIC ports. Chaque port Combo est utilisable soit en cuivre soit en fibre. Les ports MiniGBIC supportent des transceivers optiques Gigabit Ethernet SFP, qui doivent être commandés séparément. L'empilage se fait à travers les 2 ports RJ-45 10/100/1000 et un câble Ethernet standard. Alimentation redondante possible. Câble d'alimentation livré.	996 €	1	F		
YAYA7	OS-LS-6212P-EU	Commutateur empilable 6200 L2. 12 ports Power over Ethernet RJ-45 10/100 , 2 ports RJ-45 10/100/1000 et 2 ports combo. Les ports Combo consistent en 2 ports supplémentaires 10/100/1000 RJ-45 et 2 ports mini-GBIC ports. Chaque port Combo est utilisable soit en cuivre soit en fibre. Les ports MiniGBIC supportent des transceivers optiques Gigabit Ethernet SFP, qui doivent être commandés séparément. L'empilage se fait à travers les 2 ports RJ-45 10/100/1000 et un câble Ethernet standard. Alimentation redondante possible. Câble d'alimentation livré.	765 €	1	F		
YAYA7	OS-LS-6224P-EU	Commutateur empilable 6200 L2. 24 ports Power over Ethernet RJ-45 10/100 , 2 ports RJ-45 10/100/1000 et 2 ports combo. Les ports Combo consistent en 2 ports supplémentaires 10/100/1000 RJ-45 et 2 ports mini-GBIC ports. Chaque port Combo est utilisable soit en cuivre soit en fibre. Les ports MiniGBIC supportent des transceivers optiques Gigabit Ethernet SFP, qui doivent être commandés séparément. L'empilage se fait à travers les 2 ports RJ-45 10/100/1000 et un câble Ethernet standard. Alimentation redondante possible. Câble d'alimentation livré.	1 227 €	1	F		
YAYA7	OS-LS-6248P-EU	Commutateur empilable 6200 L2. 48 ports Power over Ethernet RJ-45 10/100 , 2 ports RJ-45 10/100/1000 et 2 ports combo. Les ports Combo consistent en 2 ports supplémentaires 10/100/1000 RJ-45 et 2 ports mini-GBIC ports. Chaque port Combo est utilisable soit en cuivre soit en fibre. Les ports MiniGBIC supportent des transceivers optiques Gigabit Ethernet SFP, qui doivent être commandés séparément. L'empilage se fait à travers les 2 ports RJ-45 10/100/1000 et un câble Ethernet standard. Alimentation redondante possible. Câble d'alimentation livré.	1 842 €	1	F		
		OmniStack 6200 - Etoile Optique Fast Ethernet					
YAYA7	OS-LS-6224U	OS-LS-6224U Chassis. [ECCN 5A992]. Fast Ethernet L2+ stackable fixed configuration chassis in a 1U form factor consisting of 24 ports 100Base-X SFP, two 10/100/1000 RJ-45 ports and two combo ports. Combo ports consist of two additional 10/100/1000 RJ-45 and two mini-GBIC ports. The 24 SFP ports accepts industry standard 100Base-X optical transceivers which are sold separately. MiniGBIC ports support Gigabit Ethernet MiniGBIC (SFP) optical transceivers, which can be ordered separately. Stacking capability utilizes the two 10/100/1000 RJ-45 ports and standard Ethernet cabling. Optional backup power supported. Optional items can be purchased/ordered separately. Comes with user manuals on CD-ROM, 19" rack mounts, RJ-45 to DB-9 adaptor, and country specific power cord.	1 073 €	1	F		
		OmniStack 6200 - Alimentation Redondante					
YAYA7	OS-LS-62BP	Alimentation redondante AC pour commutateur OS-LS-6200 non PoE.	188 €	1	F		
YAYA7	OS-LS-62BP-DC	Alimentation redondante DC pour commutateur OS-LS-6200 non PoE.	250 €	1	F		
YAYA7	OS-LS-62BP-P	Alimentation redondante AC pour OS-LS-6200 PoE.	535 €	1	F		
		OmniStack 6200 - Accessoires					
YAYAU	OS-LS-6200-MNT	Base/wall mounting kit for OS-LS-6200 models. Includes 4 brackets and	12 €		G		
		OmniSwitch 6250 - Commutateurs 10/100 stackables - L3					
YAYCQ	BOS6250-48	Two OS6250-24 units with AOS Enteprise software bundled for side by side mounting in a 19" by 1U rack space providing a total of 48 Fast Ethernet and 4 RJ45/SFP combo ports. Ethernet SFP optical transceivers and backup power supply can be ordered separately.This bundle includes two chassis, two 30cm HDMI stacking cables, country specific power cords, user manuals access card, software download access card, RJ-45 to DB-9 adaptors and hardware to mount the two units side by side in a 19"	1 308 €	8	F		
YAYCQ	BOS6250-P48	Two OS6250-P24 units with AOS Enterprise software bundled for side by side mounting within a 19" by 1U rack space for a total of 48 PoE Fast Ethernet ports and 4 PoE RJ45/SFP combo ports.Ethernet SFP optical transceiver and backup power supply can be ordered separately. This bundle includes two chassis, two external 225W AC supplies, two power supply trays, two 30 cm HDMI stacking cables, two country specific power cords, user manuals access card, software download access card, RJ-45 to DB-9 adaptors and hardware to mount the two units side by side in a 19"	2 615 €	8	F		

TARIF

| Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
YAYCQ	OS6250-24	OS6250-24 Fast Ethernet chassis with AOS Enterprise software. Chassis includes 24 RJ-45 ports configurable to 10/100 BaseT, 2 RJ45/SFP combo ports configurable to 10/100/1000 BaseT or 100/1000 BaseX and two dedicated 2.5G HDMI stacking ports with internal AC supply. Ethernet SFP optical transceivers, HDMI stacking cables and backup power supply can be ordered separately. This bundle includes chassis, AOS Enterprise software, country specific power cord, user manuals access card, software download access card, RJ-45 to DB-9 adaptors and hardware for mounting side by side with another OS6250 in a 19" rack. Order optional mounting tray kit (OS6250-RM-19) for mounting a single unit in a 19" rack.	692 €	8	F		
YAYCQ	OS6250-24M	OS6250-24M Fast Ethernet chassis with AOS Metro software. Chassis provides 24 RJ-45 ports configurable to 10/100 BaseT, 2 RJ45/SFP combo ports configurable to 10/100/1000 BaseT or 100/1000 BaseX and 2 SFP fiber ports configurable to be 1G uplinks or 2.5G stacking ports in a 1U by half rack form factor with internal AC power supply.Ethernet SFP optical transceivers, SFP direct connect stacking cables and backup power supply can be ordered separately.This bundle includes chassis, country specific power cord, user manuals access card, software download access card, RJ-45 to DB-9 adaptors and hardware for mounting side by side with another OS6250 in a 19" rack. Order optional mounting tray kit (OS6250-RM-19) for mounting a single unit in a 19" rack.	923 €	8	F		
YAYCQ	OS6250-24MD	OS6250-24MD Fast Ethernet chassis with AOS Metro software. Chassis includes 24 RJ-45 ports configurable to 10/100 BaseT, 2 RJ45/SFP combo ports configurable to 10/100/1000 BaseT or 100/1000 BaseX and 2 SFP fiber ports configurable to be 1G uplinks or 2.5G stacking ports in a 1U by half rack form factor with internal DC power supply. Ethernet SFP optical transceivers, SFP direct connect stacking cables and backup power supply can be ordered separately.This bundle includes chassis, user manuals access card, software download access card, RJ-45 to DB-9 adaptors and hardware for mounting side by side with another OS6250 in a 19" rack. Order optional mounting tray kit (OS6250-RM-19) for mounting a single	1 000 €	8	F		
YAYCQ	OS6250-8M	OS6250-8M Fast Ethernet chassis with AOS Metro software. Chassis provides 8 RJ-45 ports configurable to 10/100 BaseT, 2 SFP/RJ45 combo ports configurable to 10/100/1000 BaseT or 100/1000 BaseX and 2 SFP fiber ports configurable to be 1G uplinks or 2.5G stacking ports in a 1U by half rack form factor with internal AC power supply. Ethernet SFP optical transceivers and SFP direct connect stacking cable can be ordered separately. This bundle includes chassis, power cord, user manuals access card, software download access card, RJ-45 to DB-9 adaptors and hardware for mounting unit side by side with another OS6250 in a 19" rack. Order optional mounting tray kit (OS6250-RM-19) for mounting a single	615 €	8	F		
YAYCQ	OS6250-P24	OS6250-P24 Fast Ethernet chassis with AOS Enterprise software. Chassis includes 24 PoE RJ-45 ports configurable to 10/100 BaseT, 2 SFP/POE RJ45 combo ports configurable to be 10/100/1000 BaseT or 10/100/1000 BaseX and two dedicated 2.5G HDMI stacking ports in a 1U by half rack form factor with external AC POE supply. Ethernet SFP optical transceivers, HDMI stacking cables and backup power supply can be ordered separately. This bundle includes chassis, 225W AC PoE power supply with dual purpose power supply tray/mounting tray, country specific power cord, DB-15 remote power cable, user manuals access card, software download access card and RJ-45 to DB-9 adaptor. Directly connect supplied tray and power supply to the back of the unit or use supplied DB-15 cable and tray for mounting chassis and power supply side	1 385 €	8	F		
YAYCQ	OS6250-BP-D	OS6400-BP-D 30W DC power brick backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection	308 €	8	F		
YAYCQ	OS6250-BP-P	OS6250-BP-P modular 240W AC backup power supply. Provides backup power to one PoE switch. Ships with country specific power cord.	538 €	8	F		
YAYCQ	OS6250-BP	OS6250-BP 40W power brick AC backup power supply. Provides backup power to one non-PoE switch. Ships with country specific power cord.	231 €	8	F		
YAYCQ	OS6250-CBL-150	OS6250 150 centimeters long HDMI stacking cable.	154 €	8	F		
YAYCQ	OS6250-CBL-30	OS6250 30 centimeters long HDMI stacking cable.	77 €	8	F		
YAYCQ	OS6250-CBL-60	OS6250 60 centimeters long HDMI stacking cable.	115 €		F		
YAYCQ	OS6250-DUAL-MNT	Two mounting and sliding brackets replacement kit. Hardware to mount two 6250 units in a 19" rack.	19 €		F		
YAYCQ	OS6250-RM-19	Tray kit for mounting one OS6250 in a 19" rack.	58 €		F		
YAYCQ	OS6250M-CBL-150	OS6250M 150 centimeters long SFP direct stacking cable.	385 €		F		
YAYCQ	OS6250M-CBL-30	OS6250M 30 centimeters long SFP direct stacking cable.	231 €		F		
YAYCQ	OS6250M-CBL-60	OS6250M 60 centimeters long SFP direct stacking cable.	308 €		F		
	OmniSwitch 6400 - Commutateurs 10/100/1000 stackables - L3						
YAYA7	OS6400-24-EU	OS6400-24 chassis Gigabit Ethernet chassis in a 1U form factor with **20 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo** ports configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support either copper or fiber can be used on a one for one basis. Ethernet optical transceivers (SFP), stacking cable, and backup power supplies can be ordered separately. Internal AC supply. The bundle includes country specific power cord, user manuals access card, rack mounts and RJ-45 to DB-9 adaptor.	1 612 €	1	F		
YAYA7	OS6400-48-EU	OS6400-48 chassis Gigabit Ethernet chassis in a 1U form factor with **44 RJ-45 ports individually configurable to 10/100/1000 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support either copper or fiber can be used on a one for one basis. Ethernet optical transceivers (SFP), stacking cable, and backup power supplies can be ordered separately. Internal AC supply. The bundle includes country specific power cord, user manuals access card, rack mounts and RJ-45 to DB-9 adaptor.	3 073 €	1	F		

Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
		TARIF					
YAYA7	OS6400-P24-EU	OS6400-P24 chassis Gigabit Ethernet chassis in a 1U form factor with **20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support either copper or fiber can be used on a one for one basis. Ethernet optical transceivers (SFP), stacking cable, and backup power supplies can be ordered separately. The bundle includes a **360W AC PoE power supply** with power shelf, country specific power cord, user manuals access card, rack mounts and RJ-45 to DB-9 adaptor.	2 381 €	1	F		
YAYA7	OS6400-P48-EU	OS6400-P48 chassis Gigabit Ethernet chassis in a 1U form factor with **44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support either copper or fiber can be used on a one for one basis. Ethernet optical transceivers (SFP), stacking cable, and backup power supplies can be ordered separately. The bundle includes a **360W AC PoE power supply** with power shelf, country specific power cord, user manuals access card, rack mounts and RJ-45 to DB-9 adaptor.	4 073 €	1	F		
YAYA7	OS6400-P24H-EU	OS6400-24P chassis Gigabit Ethernet chassis in a 1U form factor with **20 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support either copper or fiber can be used on a one for one basis. Ethernet optical transceivers (SFP), stacking cable, and backup power supplies can be ordered separately. The bundle includes a **510W AC PoE power supply** with power shelf, country specific power cord, user manuals access card, rack mounts and	2 612 €	1	F		
YAYA7	OS6400-P48H-EU	OS6400-P48 chassis Gigabit Ethernet chassis in a 1U form factor with **44 RJ-45 POE ports individually configurable to 10/100/1000 BaseT, 4 combo port**s configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. Combo ports support either copper or fiber can be used on a one for one basis. Ethernet optical transceivers (SFP), stacking cable, and backup power supplies can be ordered separately. The bundle includes a **510W AC PoE power supply** with power shelf, country specific power cord, user manuals access card, rack mounts and RJ-45 to DB-9 adaptor.	4 304 €	1	F		
	OmniSwitch 6400 - Etoile Optique Giga Ethernet						
YAYA7	OS6400-U24-EU	OS6400-U24 chassis Gigabit Ethernet chassis in a 1U form factor with **22 100/1000 Base-X SFP ports, 2 combo ports** configurable to be 10/100/1000 BaseT or 100/1000 Base-X, and two dedicated stacking ports. Combo ports support either copper or fiber can be used on a one for one basis. Ethernet optical transceivers (SFP), stacking cable, and backup power supplies can be ordered separately. Internal AC supply. The bundle includes country specific power cord, user manuals access card, rack mounts and RJ-45 to DB-9 adaptor.	1 919 €	1	F		
	OmniSwitch 6400 - Stacking Cable						
YAYA7	OS6400-CBL-30	câble de stack 30 cm pour OS6400.	150 €		F		
YAYA7	OS6400-CBL-60	câble de stack 60 cm pour OS6400.	173 €		F		
YAYA7	OS6400-CBL-150	câble de stack 150 cm pour OS6400.	227 €		F		
	OmniSwitch 6400 - Alimentation Redondante						
YAYA7	OS6400-BP-EU	Alimentation redondante AC pour commutateur OS6400 non PoE - OS6400-BP modulaire **126W AC** backup power supply. Provides backup power to one non-PoE switch. Ships with chassis connection cable and country specific power cord.	381 €	1	F		
YAYA7	OS6400-BP-P-EU	Alimentation redondante AC pour commutateur OS6400 PoE - OS6400-BP-P modulaire **360W AC** backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable and country specific power cord.	535 €	1	F		
YAYA7	OS6400-BP-PH-EU	Alimentation redondante AC pour commutateur OS6400 High PoE - OS6400-BP-PH modulaire **510W AC** backup power supply. Provides backup power to one PoE switch. Ships with chassis connection cable, country specific power cord, power shelf and rack mounts.	765 €	1	F		
	OmniSwitch 6400 - Accessoires						
YAYA7	OS6400-MNT	Base/wall mounting kit for OS6400 models. Includes 4 brackets and	12 €		F		
OmniSwitch 6850 L- Commutateurs 10/100 - Evolutif en 10/100/1000 - Module de Stack Intégré - L3							
	OmniSwitch 6850 L- Commutateurs 10/100 - évolutifs en 10/100/1000						
YAYAU	OS6850-24L-EU	OS6850-24L chassis w/SSL (DES, 3DES, RC2, RC4) [ECCN 5A992] L3 Ethernet chassis in a 1U form factor with **20 RJ-45 ports individually configurable to 10/100 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. The 20 10/100 RJ-45 ports can also operate at Gigabit speed by purchasing the OS6850-24L-UPGD software license.On the combo ports, either copper or fiber can be used on a one for one basis.The bundle includes a **126W AC power supply** with Power shelf and country specific power cord, user manuals access card, rack mounts, and RJ-45 to DB-9 adaptor. Ethernet optical transceivers (SFP), stacking cable, advanced routing software, and backup power supplies can be ordered separately.	2 304 €	1	G		
YAYAU	OS6850-48L-EU	OS6850-48L chassis w/SSL (DES, 3DES, RC2, RC4) [ECCN 5A992] L3 Ethernet chassis in a 1U form factor with **44 RJ-45 ports individually configurable to 10/100 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. The 44 10/100 RJ-45 ports can also operate at Gigabit speed by purchasing the OS6850-48L-UPGD software license.On the combo ports either copper or fiber can be used on a one for one basis. The bundle includes a **126W AC power supply** with Power shelf and country specific power cord, user manuals access card, rack mounts, and RJ-45 to DB-9 adaptor.Ethernet optical transceivers (SFP), stacking cable, advanced routing software, and backup power supplies can be ordered separately.	3 458 €	1	G		
	OmniSwitch 6850 L- Commutateurs 10/100 PoE - évolutifs en 10/100/1000						

| Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
		TARIF					
YAYAU	OS6850-P24L-EU	OS6850-P24L PoE chassis w/SSL (DES, 3DES, RC2, RC4) [ECCN 5A992]. L3 Ethernet chassis in a 1U form factor with **20 RJ-45 PoE ports individually configurable to 10/100 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. The 20 10/100 PoE RJ-45 ports can also operate at Gigabit speed by purchasing the OS6850-24L-UPGD software license.On the combo ports, either copper or fiber can be used on a one for one basis. The bundle includes a **360W AC PoE power supply** with Power shelf, country specific power cord, user manuals access card, rack mounts and RJ-45 to DB-9 adaptor.Ethernet optical transceivers (SFP), stacking cable, advanced routing software, and backup power supplies can be ordered	3 073 €	1	G		
YAYAU	OS6850-P24LH-EU	OS6850-P24LH PoE chassis w/SSL (DES, 3DES, RC2, RC4) [ECCN 5A992] L3 Ethernet chassis in a 1U form factor with **20 RJ-45 PoE ports individually configurable to 10/100 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. The 20 10/100 PoE RJ-45 ports can also operate at Gigabit speed by purchasing the OS6850-24L-UPGD software license.On the combo ports, either copper or fiber can be used on a one for one basis.The bundle includes a **510W AC PoE power supply** with Power shelf, country specific power cord, user manuals access card, rack mounts and RJ-45 to DB-9 adaptor. Ethernet optical transceivers (SFP), stacking cable, advanced routing software, and backup power supplies can be ordered separately.	3 304 €	1	G		
YAYAU	OS6850-P48L-EU	OS6850-P48L PoE chassis w/SSL (DES, 3DES, RC2, RC4) [ECCN 5A992] L3 Ethernet chassis in a 1U form factor with **44 RJ-45 PoE ports individually configurable to 10/100 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. The 44 10/100 PoE RJ-45 ports can also operate at Gigabit speed by purchasing the OS6850-48L-UPGD software license.On the combo ports either copper or fiber can be used on a one for one basis. The bundle includes a **360W AC PoE power supply** with Power shelf and country specific power cord, user manuals access card, rack mounts and RJ-45 to DB-9 adaptor. Ethernet optical transceivers (SFP), stacking cable, advanced routing software, and backup power supplies can be	4 227 €	1	G		
YAYAU	OS6850-P48LH-EU	OS6850-P48LH PoE chassis w/SSL (DES, 3DES, RC2, RC4) [ECCN 5A992] L3 Ethernet chassis in a 1U form factor with **44 RJ-45 PoE ports individually configurable to 10/100 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX, and two dedicated stacking ports. The 44 10/100 PoE RJ-45 ports can also operate at Gigabit speed by purchasing the OS6850-48L-UPGD software license.On the combo ports either copper or fiber can be used on a one for one basis. The bundle includes a **510W AC PoE power supply** with Power shelf and country specific power cord, user manuals access card, rack mounts and RJ-45 to DB-9 adaptor. Ethernet optical transceivers (SFP), stacking cable, advanced routing software, and backup power supplies can be ordered	4 458 €	1	G		
	Clé Logicielle pour Upgrade OmniSwitch 6850 L						
YAYAU	OS6850-24L-UPGD	Licence logicielle pour activation gigabit 6850-48L et 6850-P48L - **Clef logicielles pour évolution vers ports 10/100/1000**	923 €	1	G		
YAYAU	OS6850-48L-UPGD	Licence logicielle pour activation gigabit 6850-24L et 6850-P24L - **Clef logicielles pour évolution vers ports 10/100/1000**	2 154 €	1	G		
	OmniSwitch 6850 - Etoile Optique Giga Ethernet						
YAYAU	OS6850-U24X-EU	Commutateur OS6850 avec **22 ports 1000 Base SX**, 2 ports d'empilage, **2 ports Combo** et **2 ports 10g**. Les ports Combo consistent en 2 ports supplémentaires 10/100/1000 RJ-45 et 2 ports mini-GBIC. Chaque port Combo est utilisable soit en cuivre soit en fibre. Les ports MiniGBIC supportent des transceivers optiques Gigabit Ethernet SFP, qui doivent être commandés séparément. Les ports 10g supportent des tranceivers optiques XFP, qui doivent être commandés séparément.	4 996 €	1	G		
	OmniSwitch 6850 - Commutateurs 10/100/1000 - Module de Stack Intégré - L3						
	OmniSwitch 6850 - Commutateurs 10/100/1000						
YAYAU	OS6850-24-EU	Commutateur OS6850 avec **20 ports 10/100/1000 RJ-45**, 2 ports d'empilage et **4 ports Combo**. Les ports Combo consistent en 4 ports supplémentaires 10/100/1000 RJ-45 et 4 ports mini-GBIC ports. Chaque port Combo est utilisable soit en cuivre soit en fibre. Les ports MiniGBIC supportent des transceivers optiques Gigabit Ethernet SFP, qui doivent être commandés séparément.	3 073 €	1	G		
YAYAU	OS6850-48-EU	Commutateur OS6850 avec **44 ports 10/100/1000 RJ-45**, 2 ports d'empilage et **4 ports Combo**. Les ports Combo consistent en 4 ports supplémentaires 10/100/1000 RJ-45 et 4 ports mini-GBIC ports. Chaque port Combo est utilisable soit en cuivre soit en fibre. Les ports MiniGBIC supportent des transceivers optiques Gigabit Ethernet SFP, qui doivent être commandés séparément.	5 381 €	1	G		
	OmniSwitch 6850 - Commutateurs 10/100/1000 et 2 ports 10 Giga						
YAYAU	OS6850-24X-EU	Commutateur OS6850 avec **20 ports 10/100/1000 RJ-45**, 2 ports d'empilage, **4 ports Combo et 2 ports 10g**. Les ports Combo consistent en 4 ports supplémentaires 10/100/1000 RJ-45 et 4 ports mini-GBIC ports. Chaque port Combo est utilisable soit en cuivre soit en fibre. Les ports MiniGBIC supportent des transceivers optiques Gigabit Ethernet SFP, qui doivent être commandés séparément. Les ports 10g supportent des tranceivers optiques XFP, qui doivent être commandés séparément.	4 227 €	1	G		
YAYAU	OS6850-48X-EU	Commutateur OS6850 avec 48 ports 10/100/1000 RJ-45 et 2 ports 10g. Les ports 10g supportent des tranceivers optiques XFP, qui doivent être commandés séparément.	6 688 €	1	G		
	OmniSwitch 6850 - Power Over Ethernet						
YAYAU	OS6850-P24-EU	OS6850-P24 **PoE chassis** avec **20 ports 10/100/1000 RJ-45**, 2 ports d'empilage et **4 ports Combo**. Les ports Combo consistent en 4 ports supplémentaires 10/100/1000 RJ-45 et 4 ports mini-GBIC. Chaque port Combo est utilisable soit en cuivre soit en fibre. Les ports MiniGBIC supportent des transceivers optiques Gigabit Ethernet SFP, qui doivent être commandés séparément.	3 842 €	1	G		

Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
		TARIF					
YAYAU	OS6850-P24H-EU	OS6850-P24H **PoE chassis** w/SSL (DES, 3DES, RC2, RC4) [ECCN 5A992] Gigabit Ethernet L3 stackable fixed configuration PoE chassis in a 1U form factor with 20 RJ-45 connectors individually configurable to 10/100/1000 BaseT, 4 combo ports configurable to be 10/100/1000 BaseT or 1000 BaseX. Either copper or fiber can be used on a one for one basis. **A 510W AC power supply with Power shelf**, and country specific power cord are included. The bundle comes with user manuals access card, rack mounts and RJ-45 to DB-9 adaptor. The Gigabit Ethernet optical transceivers (SFP), stacking cable, advanced routing software, and backup power supplies are available and can be ordered separately.	4 073 €	1	G		
YAYAU	OS6850-P48-EU	Commutateur PoE OS6800 avec **44 ports 10/100/1000 RJ-45**, 2 ports d'empilage et **4 ports Combo**. Les ports Combo consistent en 4 ports supplémentaires 10/100/1000 RJ-45 et 4 ports mini-GBIC ports. Chaque port Combo est utilisable soit en cuivre soit en fibre. Les ports MiniGBIC supportent des transceivers optiques Gigabit Ethernet SFP, qui doivent être commandés séparément.	6 150 €	1	G		
YAYAU	OS6850-P48H-EU	OS6850-P48H chassis w/SSL (DES, 3DES, RC2, RC4) [ECCN 5A992] Gigabit Ethernet L3 stackable fixed configuration PoE chassis in a 1U form factor with **44 RJ-45 connectors individually configurable to 10/100/1000 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX. On the combo ports either copper or fiber can be used on a one for one basis. **A 510W AC power supply with Power shelf**, and country specific power cord are included. The bundle comes with user manuals access card, rack mounts and RJ-45 to DB-9 adaptor. The Gigabit Ethernet optical transceivers (SFP), stacking cable, advanced routing software, and backup power supplies are available and can be ordered separately.	6 381 €	1	G		
		OmniSwitch 6850 - Power Over Ethernet et 2 ports 10 Giga					
YAYAU	OS6850-P24X-EU	OS6850-P24X **PoE chassis** w/SSL (DES, 3DES, RC2, RC4) L3 Gigabit Ethernet chassis in a 1U form factor with **20 RJ-45 PoE ports individually configurable to 10/100/1000 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX, **two 10 Gigabit ports**, and two dedicated stacking ports. On the combo ports either copper or fiber can be used on a one for one basis.The bundle includes a **360W AC PoE power supply** with Power shelf, and country specific power cord, user manuals access card, rack mounts and RJ-45 to DB-9 adaptor.Ethernet optical transceivers (SFP), 10 Gigabit optical transceivers (XFP), stacking cable, advanced routing software, and backup power supplies can be ordered separately.	4 996 €	1	G		
YAYAU	OS6850-P24XH-EU	OS6850-P24XH **PoE chassis** w/SSL (DES, 3DES, RC2, RC4) L3 Gigabit Ethernet chassis in a 1U form factor with **20 RJ-45 PoE ports individually configurable to 10/100/1000 BaseT, 4 combo ports** configurable to be 10/100/1000 BaseT or 1000 BaseX, **two 10 Gigabit ports**, and two dedicated stacking ports. On the combo ports either copper or fiber can be used on a one for one basis.The bundle includes a **510W AC PoE power supply** with Power shelf and country specific power cord, user manuals access card, rack mounts and RJ-45 to DB-9 adaptor.Ethernet optical transceivers (SFP), 10 Gigabit optical transceivers (XFP), stacking cable, advanced routing software, and backup power supplies can be ordered separately.	5 227 €	1	G		
YAYAU	OS6850-P48X-EU	OS6850-P48X **PoE chassis** w/SSL (DES, 3DES, RC2, RC4) L3 Gigabit Ethernet chassis in a 1U form factor with **48 RJ-45 PoE ports individually configurable to 10/100/1000 BaseT, two 10 Gigabit ports**, and two dedicated stacking ports.The bundle includes a **360W AC PoE power supply** with Power shelf and country specific power cord, user manuals access card, rack mounts, and RJ-45 to DB-9 adaptor.The 10 Gigabit optical transceivers (XFP), stacking cable, advanced routing software, and backup power supplies can be ordered separately.	7 458 €	1	G		
YAYAU	OS6850-P48XH-EU	OS6850-P48X **PoE chassis** w/SSL (DES, 3DES, RC2, RC4) L3 Gigabit Ethernet chassis in a 1U form factor with **48 RJ-45 PoE ports individually configurable to 10/100/1000 BaseT, two 10 Gigabit ports**, and two dedicated stacking ports.The bundle includes a **510W AC PoE power supply** with Power shelf and country specific power cord, user manuals access card, rack mounts, and RJ-45 to DB-9 adaptor.The 10 Gigabit optical transceivers (XFP), stacking cable, advanced routing software, and backup power supplies can be ordered separately.	7 688 €	1	G		
		OmniSwitch 6850 - Stacking Cable					
YAYAU	OS6850-CBL-30	câble de stack 30 cm pour OS6850.	150 €		G		
YAYAU	OS6850-CBL-60	câble de stack 60 cm pour OS6850.	173 €		G		
YAYAU	OS6850-CBL-150	câble de stack 150 cm pour OS6850.	227 €		G		
		OmniSwitch 6850 - Alimentation Redondante					
YAYAU	OS6850-BP-EU	Alimentation redondante 126w pour OS6850. Fournit une alimentation redondante pour un commutateur non PoE. Livré avec un câble de connection chassis.	381 €	1	G		
YAYAU	OS6850-BP-P-EU	Alimentation redondante 360w pour OS6850. Fournit une alimentation redondante pour un commutateur PoE. Livré avec un câble de connection	535 €	1	G		
YAYAU	OS6850-BP-PH-EU	Alimentation redondante 510w pour OS6850. Fournit une alimentation redondante pour un commutateur PoE. Livré avec un câble de connection	765 €	1	G		
		OmniSwitch 6850 - Option Routage Avancé					
YAYBW	OS6850-SW-AR	Software de routage avancé pour OS6800.Inclut le support de OSPF, PIM-SM and DVMRP.	77 €	5	G		
		OmniSwitch 6850 - Accessoires					
YAYAU	OS6850-MNT	Base/wall mounting kit for OS6850 models. Includes 4 brackets and	12 €		G		
		OmniSwitch 6855 - Commutateurs 10/100/1000 - Module de Stack Intégré - L3					
		OmniSwitch 6855 - Etoile Optique Giga Ethernet					

Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
TARIF							
YAYAU	OS6855-U10	**OS6855-U10** Hardened Gigabit Ethernet L3 fixed configuration fanless chassis in a 1U form factor designed to operate in harsh environments. It has **8 ports fibre SFP 100/1000 BaseX et 2 ports RJ-45 10/100/1000 BaseT**. The bundle comes with OS6855-PSS power supply, power shelf, country specific power cord, user manual access card and rack mounts. **Ethernet optical transceivers and backup power supplies can be ordered separately.**	3 077 €	1	G		
YAYAU	OS6855-U24	**OS6855-24** Hardened Gigabit Ethernet L3 fixed configuration chassis in a 1U form factor designed to operate in harsh environments. It has **22 ports fibre SFP 100/1000 baseX et 2 ports combo**. On the combo ports, either RJ-45 connectors individually configurable to 10/100/1000 BaseT or fiber SFP can be used on a one for one basis. The bundle comes with OS6855-PSL power supply, power shelf, country specific power cord, user manual access card and rack mounts. **Ethernet optical transceivers and backup power supplies can be ordered separately.**	5 769 €	1	G		
		OmniSwitch 6855 - Commutateurs 10/100/1000					
YAYAU	OS6855-14	**OS6855-14** Hardened Gigabit Ethernet L3 fixed configuration fanless chassis in a 1U form factor designed to operate in harsh environments. It has **12 ports RJ-45 10/100/1000 BaseT dont 4 ports PoE et 2 ports fibre SFP** which support various distances. The bundle comes with OS6855-PSS power supply, power shelf , country specific power cord, user manual access card and rack mounts. **Ethernet optical transceivers, PoE power supply (OS6855-PSS-P) and backup power supplies can be ordered separately.**	3 231 €	1	G		
YAYAU	OS6855-24	**OS6855-24** Hardened Gigabit Ethernet L3 fixed configuration chassis in a 1U form factor designed to operate in harsh environments. It has **20 ports RJ-45 10/100/1000 BaseT dont 4 ports PoE et 4 ports combo**. On the combo ports, either copper or fiber can be used on a one for one basis. The bundle comes with OS6855-PSL-P power supply, power shelf, country specific power cord, user manual access card and rack mounts. **Ethernet optical transceivers and backup power supplies can be ordered separately.**	5 231 €	1	G		
		OmniSwitch 6855 - Alimentation Redondante					
YAYAU	OS6855-PSS	**OS6855-PSS power brick AC power supply**. Provides only system power. Does not provide PoE. Ships with country specific power cord.	308 €	1	G		
YAYAU	OS6855-PSS-P	**OS6855-PSS-P power brick AC power supply**. Provides PoE only power to one **OS6855-14**. Ships with country specific power cord.	231 €	1	G		
YAYAU	OS6855-PSL	**OS6855-PSL modular AC backup power supply**. Provides backup system power to one **OS6855-U24** switch. Ships with chassis connection cable and country specific power cord.	462 €	1	G		
YAYAU	OS6855-PSL-P	**OS6855-PSL-P modular AC backup power supply**. Provides backup system and PoE power to one **OS6855-24** switch. Ships with chassis connection cable and country specific power cord.	615 €	1	G		
OMNISWITCH 9000 Series							
		OmniSwitch 9600 - Châssis 4 slots (Alimentation et module de contrôle inclus)					
YAYAS	OS9600-CHASSIS	**OS9600 5-slot chassis** and fan tray- **4 dedicated slots** for any OS9 network interfaces, **1 dedicated slot for CMM** (management & switching fabric), **2 power supply bays**, 3 PoE connectors (2 for OS9-IP-SHELF, 1 for either OS9-IPS-230A or OS9-IPS-390A).	2 304 €	4	G		
YAYAS	OS9600-CB-A-EU	**OS9600 base bundle** (Single CMM) for AC power, w/SSL (DES,3DES,RC2,RC4). AC base chassis bundle includes **1 OS9600-CHASSIS, 1 OS9-PS-0600A, 1 OS9600-CMM** and its fully featured AOS w/ advanced IP routing SW (IPv4/IPv6) & advanced security SW (802.1x).	9 227 €	4	G		
YAYAS	OS9600-RCB-A-EU	**OS9600 redundant bundle** (Single CMM) for AC power, w/SSL (DES,3DES,RC2,RC4). AC redundant chassis bundle includes **1 OS9600-CHASSIS, 2 OS9-PS-0600A, 1 OS9600-CMM** and its fully featured AOS w/ advanced IP routing SW (IPv4/IPv6) & advanced security SW (802.1x).	9 612 €	4	G		
		OmniSwitch 9700 - Châssis 8 slots (Alimentation et module de contrôle inclus)					
YAYAS	OS9700-CHASSIS	**OS9700 10-slot chassis** and fan tray - **8 dedicated slots** for any OS9 network interfaces, **2 dedicated slots for CMMs** (management & switching fabric), **3 power supply bays**.	3 073 €	4	G		
YAYAS	OS9700-CB-A-EU	**OS9700 base bundle** (Single CMM) for AC power, w/SSL (DES,3DES,RC2,RC4). AC base chassis bundle includes **1 OS9700-CHASSIS, 2 OS9-PS-0600A, 1 9700-CMM** and its fully featured AOS w/ advanced IP routing SW (IPv4/IPv6) & advanced security SW (802.1x).	10 765 €	4	G		
YAYAS	OS9700-RCB-A-EU	**OS9700 Redundant Bundle** (Dual CMMs) for AC power, w/SSL (DES,3DES,RC2,RC4). AC redundant chassis bundle includes **1 OS9700 10-slot chassis, 3 OS9-PS-0600A, 2 OS9700-CMM** and it's fully featured AOS w/ advanced IP routing SW (IPv4/IPv6) & advanced security SW (802.1x).	18 458 €	4	G		
		OmniSwitch 9800 - Châssis 16 slots (Alimentation et module de contrôle inclus)					
YAYAS	OS9800-CHASSIS	OS9800 18-slot chassis and fan tray - **16 dedicated slots** for any OS9 network interfaces, **2 dedicated slots for CMMs** (management & switching fabric), 4 power supply bays, 4 PoE connectors (for OS9-IP-.	5 381 €	4	G		
YAYAS	OS9800-CB-A-EU	[ECCN 5A992] OS9800 base bundle (Single CMM) for AC power, w/SSL (DES,3DES,RC2,RC4). AC base chassis bundle includes **1 OS9800-CHASSIS, 3 OS9-PS-0600A, 1 OS9800-CMM** and its fully featured AOS w/ advanced IP routing SW (IPv4/IPv6) & advanced security SW (802.1x).	17 688 €	4	G		
YAYAS	OS9800-RCB-A-EU	[ECCN 5A992] OS9800 Redundant Bundle (Dual CMMs) for AC power, w/SSL (DES,3DES,RC2,RC4). AC redundant chassis bundle includes **1 OS9800-CHASSIS, 4 OS9-PS-0600A, 2 OS9800-CMM** and its fully featured AOS w/ advanced IP routing SW (IPv4/IPv6) & advanced security SW (802.1x).	28 842 €	4	G		
		Alimentations pour Omniswitch 9600 et 9700					
YAYAS	OS9-PS-0600A-EU	**AC power supply** for OS9000 systems. Country specific power cord required - see "Accessories" section of price list.	535 €	4	G		
		Module de Gestion et de Commutation pour OmniSwitch serie 9000					

Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
		TARIF					
YAYAS	OS9600-CMM	6Chassis **Management Module** w/SSL (DES,3DES,RC2,RC4). The OS9600-CMM Chassis Management Module is used in the **OmniSwitch 9600 & 9700 chassis**. Includes processor module, fabric module and AOS software w/ advanced IP routing SW (IPv4/IPv6) & advanced security SW (802.1x). This part is identical to the OS9700-CMM.	8 073 €	4	G		
YAYAS	OS9700-CMM	Chassis **Management Module** w/SSL (DES,3DES,RC2,RC4). The OS9700-CMM Chassis Management Module is used in the **OmniSwitch 9700 chassis**. Includes processor module, fabric module and AOS software w/ advanced IP routing SW (IPv4/IPv6) & advanced security SW	8 073 €	4	G		
YAYAS	OS9800-CMM	Chassis **Management Module** w/SSL (DES,3DES,RC2,RC4). The OS9800-CMM Chassis Management Module is used in the **OmniSwitch 9800 chassis**. Includes processor module, fabric module and AOS software w/ advanced IP routing SW (IPv4/IPv6) & advanced security SW	12 688 €	4	G		
		Alimentation PoE Pour OmniSwitch 9000 series					
YAYAS	OS9-IP-SHELF-EU	OS9000 bundle for PoE support.Bundle includes a Power Shelf (3.5 RU high) with 4 dedicated slots for OS9-IPS-600A PoE power supplies, 4 cables (49" long) for connecting the shelf to the OS9000 chassis and 1 OS9-IPS-600A. This bundle is fully interchangeable with OS7-IP-SHELF.	1 688 €	4	G		
YAYAS	OS9-IPS-230A-EU	230W PoE bundle for OS9600. This POE kit for OS9600 is stand-alone and cannot operate in conjunction with the OS9000 PoE shelf (OS9-IP-SHELF) nor be redundant. The kit contains a 230W PSU, 1 cable (to connect to the 9600 chassis), 1 shelf (1 R.U. high) and 1 country specifc	535 €	4	G		
YAYAS	OS9-IPS-390A-EU	390W PoE bundle for OS9600. This POE kit for OS9600 is stand-alone and cannot operate in conjunction with the OS9000 PoE shelf (OS9-IP-SHELF) nor be redundant. The kit contains a 390W PSU, 1 cable (to connect to the 9600 chassis), 1 shelf (1 R.U. high) and 1 country specifc	765 €	4	G		
YAYAS	OS9-IPS-600A-EU	600W PoE power supply for OS9000 PoE shelf. This power supply operates within the OS9-IP-SHELF (not included). Ships with country specific power cord, fully interchangeable with OS7-IPS-600A	765 €	4	G		
		Modules pour OmniSwitch 9600 et 9700					
YAYAS	OS9-GNI-C20L	**20-10/100BaseT/TX RJ45 ports and 2-100/1000BASE-X SFP ports**. Gigabit Ethernet network interface with RJ-45 connectors supports 10/100/1000 Mbps transmission speed. Supports Cat5 or Cat5e UTP Cabling. (Requires 4 pairs & OS9-C20L-UPG SW Licence to support 1000BaseTX over RJ45)	3 842 €	4	G		
YAYAS	OS9-GNI-C24	**24-10/100/1000BaseT/TX RJ45 ports**. Gigabit Ethernet network interface with RJ-45 connectors supports 10/100/1000 Mbps transmission speed. Supports Cat5 or Cat5e UTP Cabling. (Requires minimum of 4 pairs to support 1000BaseTX.)	6 150 €	4	G		
YAYAS	OS9-GNI-P24	**24-10/100/1000BaseT/TX RJ45 ports**. Gigabit Ethernet network interface with RJ-45 connectors supports 10/100/1000 Mbps transmission speed. Supports Cat5 or Cat5e UTP Cabling. (Requires minimum of 4 pairs to support 1000BaseTX.)	6 535 €	4	G		
YAYAS	OS9-GNI-C48T	**48-10/100/1000BaseT/TX ports using Mini-RJ21** connectors. Gigabit Ethernet network interface with 8 MRJ-21 connectors, where each MRJ-21 connector supports 6 individual ports with 10/100/1000 Mbps transmission speed (Requires 4 pairs to support 1000BaseTX). For RJ45 connectivity, cables and/or patch panel are required (not included, see also MRJ21-COMBO-xx)	7 688 €	4	G		
YAYAS	OS9-GNI-U24	**24-unpopulated 1000BaseX ports**. Gigabit Ethernet network interface with MiniGBIC (SFP MSA) connectors supports 24 MiniGBIC transceivers. **MiniGBIC transceivers not included** - See Transceiver section for additional ordering information.	10 765 €	4	G		
YAYAS	OS9-XNI-U2	**2-unpopulated 10,000BaseX ports**. 10 Gigabit Ethernet network interface with XFP (XFP MSA) connectors supports 2 XFP transceivers. **XFP transceivers not included** - See Transceiver section for additional ordering information.	8 073 €	4	Cat		
YAYAS	OS9-XNI-U6	**6-unpopulated 10,000BaseX ports**. 10 Gigabit Ethernet network interface with XFP (XFP MSA) connectors supports 6 XFP transceivers. **XFP transceivers not included** - See Transceiver section for additional ordering information.	16 919 €	4	G		
		Licence evolution du 10/100 vers le 10/100/1000 pour carte OmniSwitch 9000 series					
YAYAS	OS9-C20L-UPG	Software upgrade for OS9-GNI-C20L (one license required per module) to provide 1000BASE-T support	2 304 €	4	G		
	Transceiver SFP et XFP						
		Modules SFP Fast & Giga Ethernet					
YAYAS	SFP-100-LC-MM	100Base-FX SFP transceiver with an LC type interface. This transceiver is designed for use over multimode fiber optic cable.	112 €	4	G		
YAYAS	SFP-100-LC-SM15	100Base-FX SFP transceiver with an LC type interface. This transceiver is designed for use over single mode fiber optic cable up to 15KM.	253 €	4	G		
YAYAS	SFP-100-LC-SM40	100Base-FX SFP transceiver with an LC type interface. This transceiver is designed for use over single mode fiber optic cable up to 40KM.	461 €	4	G		
YAYAS	SFP-GIG-EXTND	MiniGBIC (SFP MSA) pluggable optical transceiver with Gigabit extender - Allows Gigabit Ethernet to run over legacy MultiMode Fiber links (62.5 & 50 micron) up to a maximum supported distance of 2km (Maximum distance depending on grade and condition of fiber plant used). Termination from end user fiber infrastructure must be SC. Required GE-EXTND-SFP or GE-EXTND-GBIC at the other end of the Fiber plant. Please refer to addendum section of the price list for additional info on conditions of use and	1 919 €	4	G		
YAYAS	SFP-GIG-SX	MiniGBIC 1000Base-SX. Supporte fibre multimode 850nm avec	265 €	4	G		
YAYAS	SFP-GIG-LX	1000Base-LX MiniGBIC Transceiver (SFP MSA) - Supports single mode fiber over 1310nm wavelength with LC connector. Supports 9 micron single mode fiber up to a maximum distance of 10km.	765 €	4	G		
YAYAS	SFP-GIG-LH40	MiniGBIC 1000Base-LH. Supporte fibre monomode 1310nm avec connecteur LC. Typical reach de 40 Km sur 9/125 µm SMF	1 535 €	4	G		
YAYAS	SFP-GIG-LH70	MiniGBIC 1000Base-LH. Supporte fibre monomode 1550nm avec	3 842 €	4	G		
		Modules Fast Ethernet pour OmniSwitch 6855					
YAYAS	ISFP-100-MM	100Base-FX Industrial SFP transceiver with an LC type interface. This transceiver is designed for use over multimode fiber optic cable.	192 €	4	G		

Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
YAYAS	ISFP-100-BX-U	100Base-BX Industrial SFP transceiver with an SC type interface. This bi-directional transceiver is designed for use over single mode fiber optic on a single strand link up to 20KM point-to-point. This transceiver is normally used in the client (ONU) transmits 1310nm and receives 1550nm optical	308 €	4	G		
YAYAS	ISFP-100-BX-D	100Base-BX Industrial SFP transceiver with an SC type interface. This bi-directional transceiver is designed for use over single mode fiber optic on a single strand link up to 20KM point-to-point. This transceiver is normally used in the central office (OLT) transmits 1550nm and receives 1310nm	308 €	4	G		
YAYAS	ISFP-100-SM15	100Base-FX Industrial SFP transceiver with an LC type interface. This transceiver is designed for use over single mode fiber optic cable up to	346 €	4	G		
YAYAS	ISFP-100-SM40	100Base-FX Industrial SFP transceiver with an LC type interface. This transceiver is designed for use over single mode fiber optic cable up to	538 €	4	G		
		Modules Giga Ethernet pour OmniSwitch 6855					
YAYAS	ISFP-GIG-SX	1000Base-SX Industrial Gigabit Ethernet optical transceiver (SFP MSA). Supports multimode fiber over 850nm wavelength (nominal) with an LC connector. Typical reach of 300m on 62.5/125 µm MMF or 550m on 50/125 µm MMF.	346 €	4	G		
YAYAS	ISFP-GIG-LX	1000Base-LX Industrial Gigabit Ethernet optical transceiver (SFP MSA). Supports single mode fiber over 1310nm wavelength (nominal) with an LC connector. Typical reach of 10 Km on 9/125 µm SMF.	923 €	4	G		
YAYAS	ISFP-GIG-LH40	1000Base-LH Industrial Gigabit Ethernet optical transceiver (SFP MSA). Supports single mode fiber over 1310 nm wavelength (nominal) with an LC connector. Typical reach of 40 Km on 9/125 µm SMF.	1 692 €	4	G		
YAYAS	ISFP-GIG-LH70	1000Base-LH Industrial Gigabit Ethernet optical transceiver (SFP MSA). Supports single mode fiber over 1550nm wavelength (nominal) with an LC connector. Typical reach of 70 Km on 9/125 µm SMF.	4 000 €	4	G		
		Modules 10 Giga Ethernet pour OmniSwitch 6850 et 9000					
YAYAS	XFP-10G-CX4	**10 Gigabit Ethernet Transceiver Cuivre** (XFP MSA). Supports links up to 15 meters only on standard CX4 type cables compliant with IEEE 802.3ak. InfiniBand type of cables are not supported. Only one CX4 transceiver can be used in OS6850 "X" models.	1 154 €	4	G		
YAYAS	XFP-10G-SR	**10 Gigabit Ethernet** optical transceiver. Supports multimode fiber over 850nm wavelength with an LC connector. Supports 50/62.5 micron fiber up to a maximum distance of 300m depending on fiber grade.	1 535 €	4	G		
YAYAS	XFP-10G-LR	**10 Gigabit Ethernet** optical transceiver. Supports single mode fiber over 1310nm wavelength with an LC connector. Supports 10 micron fiber up to a maximum distance of 10km.	3 073 €	4	G		
		Interface (Transceiver) CDWM Giga Ethernet pour module OmniSwitch série 9000					
YAYAS	SFP-GIG-47CWD60	CWDM Gigabit Ethernet optical transceiver (SFP MSA) w/ gray latch. Supports single mode fiber over 1470 nm wavelength (nominal) with an LC connector. Typical reach of 62 Km on 9/125 µm SMF.	3 842 €	4	G		
YAYAS	SFP-GIG-49CWD60	CWDM Gigabit Ethernet optical transceiver (SFP MSA) w/ violet latch. Supports single mode fiber over 1490 nm wavelength (nominal) with an LC connector. Typical reach of 62 Km on 9/125 µm SMF.	3 842 €	4	G		
YAYAS	SFP-GIG-51CWD60	CWDM Gigabit Ethernet optical transceiver (SFP MSA) w/ blue latch. Supports single mode fiber over 1510 nm wavelength (nominal) with an LC connector. Typical reach of 62 Km on 9/125 µm SMF.	3 842 €	4	G		
YAYAS	SFP-GIG-53CWD60	CWDM Gigabit Ethernet optical transceiver (SFP MSA) w/ green latch. Supports single mode fiber over 1530 nm wavelength (nominal) with an LC connector. Typical reach of 62 Km on 9/125 µm SMF.	3 842 €	4	G		
YAYAS	SFP-GIG-55CWD60	CWDM Gigabit Ethernet optical transceiver (SFP MSA) w/ yellow latch. Supports single mode fiber over 1550 nm wavelength (nominal) with an LC connector. Typical reach of 62 Km on 9/125 µm SMF.	3 842 €	4	G		
YAYAS	SFP-GIG-57CWD60	CWDM Gigabit Ethernet optical transceiver (SFP MSA) w/ orange latch. Supports single mode fiber over 1570 nm wavelength (nominal) with an LC connector. Typical reach of 62 Km on 9/125 µm SMF.	3 842 €	4	G		
YAYAS	SFP-GIG-59CWD60	CWDM Gigabit Ethernet optical transceiver (SFP MSA) w/ red latch. Supports single mode fiber over 1590 nm wavelength (nominal) with an LC connector. Typical reach of 62 Km on 9/125 µm SMF.	3 842 €	4	G		
YAYAS	SFP-GIG-61CWD60	CWDM Gigabit Ethernet optical transceiver (SFP MSA) w/ red latch. Supports single mode fiber over 1590 nm wavelength (nominal) with an LC connector. Typical reach of 62 Km on 9/125 µm SMF.	100 €	4	G		
		WIRELESS - OmniAccess					
		Contrôleur OmniAccess Wireless Nouvelle Génération - Série 4504, 4604 et 4704 (supporte le 802.11n)					
		OmniAccess Wireless 4504					
YAYAW	OAW-4504-0-EU	OmniAccess 4504 - **4x 10/100/1000BASE-T (RJ-45) or 1000BASE-X (SFP) dual personality ports (no AP license included)**. Can **support up to 32 APs** (additional AP licenses required).	3 842 €	4	H		
YAYAW	OAW-4504-8-EU	OmniAccess 4504 - **4x 10/100/1000BASE-T (RJ-45) or 1000BASE-X (SFP) dual personality ports, bundled with 8 AP license**. Can **support up to 32 APs** (additional AP licenses required).	4 227 €	4	H		
		OmniAccess Wireless 4604					
YAYAW	OAW-4604-0-EU	OmniAccess 4604 - **4x 10/100/1000BASE-T (RJ-45) or 1000BASE-X (SFP) dual personality ports (no AP license included)**. Can **support up to 64 APs** (additional AP licenses required).	6 150 €	4	H		
YAYAW	OAW-4604-32-EU	OmniAccess 4604 - **4x 10/100/1000BASE-X (SFP) dual personality ports, bundled with 32 AP license**. Can s**upport up to 64 APs** (additional AP licenses required).	7 688 €	4	H		
		OmniAccess Wireless 4704					
YAYAW	OAW-4704-0-EU	OmniAccess 4704 - **4x 10/100/1000BASE-T (RJ-45) or 1000BASE-X (SFP) dual personality ports (no AP license included)**. Can **support up to 128 APs** (additional AP licenses required).	9 996 €	4	H		
YAYAW	OAW-4704-64-EU	OmniAccess 4704 - **4x 10/100/1000BASE-X (SFP) dual personality ports, bundled with 64 AP license**. Can **support up to 128 APs** (additional AP licenses required).	12 688 €	4	H		
		Modules d'Interface pour OmniAccess Wireless - Série 4504, 4604 et 4704					
YAYAW	OAW-SFP-LX	OmniAccess Wireless SFP - 1000Base-LX, LC Connector	496 €	4	H		
YAYAW	OAW-SFP-SX	OmniAccess Wireless SFP - 1000Base-SX, LC Connector	304 €	4	H		

Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
		TARIF					
		Licences pour Gestion des Points d'accès applicables aux OmniAccess 4504, 4604, 4704 et Superisor Card III de l'					
YAYAW	OAW-AP-LAP8	Access Point License (8 Access Point License)	462 €	4	H		
YAYAW	OAW-AP-LAP16	Access Point License (16 Access Point License)	923 €	5	H		
YAYAW	OAW-AP-LAP32	Access Point License (32 Access Point License)	1 754 €	5	H		
YAYAW	OAW-AP-LAP64	Access Point License (64 Access Point License)	3 323 €	5	H		
YAYAW	OAW-AP-LAP128	Access Point License (128 Access Point License)	6 277 €	5	H		
YAYAW	OAW-AP-LAP256	Access Point License (256 Access Point License)	11 931 €	5	H		
YAYAW	OAW-AP-LAP384	Access Point License (384 Access Point License)	17 423 €	5	H		
YAYAW	OAW-AP-LAP512	Access Point License (512 Access Point License)	22 600 €	5	H		
		Licences pour module Firewall applicables aux OmniAccess 4504, 4604, 4704 et Superisor Card III de l'OmniAcces					
YAYAW	OAW-USR-PEF128	Policy Enforcement Firewall Module License (128 Users)	808 €	5	H		
YAYAW	OAW-USR-PEF256	Policy Enforcement Firewall Module License (256 Users)	1 538 €	5	H		
YAYAW	OAW-USR-PEF512	Policy Enforcement Firewall Module License (512 Users)	2 923 €	5	H		
YAYAW	OAW-USR-PEF1024	Policy Enforcement Firewall Module License (1024 Users)	5 538 €	5	H		
YAYAW	OAW-USR-PEF2048	Policy Enforcement Firewall Module License (2048 Users)	10 462 €	5	H		
YAYAW	OAW-USR-PEF4096	Policy Enforcement Firewall Module License (4096 Users)	18 831 €	5	H		
YAYAW	OAW-USR-PEF8192	Policy Enforcement Firewall Module License (8192 Users)	33 477 €	5	H		
		Licences pour module de protection contre les intrusions applicables aux OmniAccess 4504, 4604, 4704 et Superis					
YAYAW	OAW-AP-WIP8	Wireless Intrusion Protection Module License (8 AP Support)	346 €	5	H		
YAYAW	OAW-AP-WIP16	Wireless Intrusion Protection Module License (16 AP Support)	646 €	5	H		
YAYAW	OAW-AP-WIP32	Wireless Intrusion Protection Module License (32 AP Support)	1 231 €	5	H		
YAYAW	OAW-AP-WIP64	Wireless Intrusion Protection Module License (64 AP Support)	2 331 €	5	H		
YAYAW	OAW-AP-WIP128	Wireless Intrusion Protection Module License (128 AP Support)	4 400 €	5	H		
YAYAW	OAW-AP-WIP256	Wireless Intrusion Protection Module License (256 AP Support)	7 923 €	5	H		
YAYAW	OAW-AP-WIP384	Wireless Intrusion Protection Module License (384 AP Support)	11 223 €	5	H		
YAYAW	OAW-AP-WIP512	Wireless Intrusion Protection Module License (512 AP Support)	14 085 €	5	H		
		Licences pour module de Serveur VPN applicables aux OmniAccess 4504, 4604, 4704 et Superisor Card III de l'Om					
YAYAW	OAW-SSN-VPN128	VPN Server Module License (128 Sessions)	731 €	5	H		
YAYAW	OAW-SSN-VPN256	VPN Server Module License (256 Sessions)	1 385 €	5	H		
YAYAW	OAW-SSN-VPN512	VPN Server Module License (512 Sessions)	2 631 €	5	H		
YAYAW	OAW-SSN-VPN1024	VPN Server Module License (1024 Sessions)	4 985 €	5	H		
YAYAW	OAW-SSN-VPN2048	VPN Server Module License (2048 Sessions)	9 415 €	5	H		
YAYAW	OAW-SSN-VPN4096	VPN Server Module License (4096 Sessions)	16 954 €	5	H		
		Licences pour module de Chiffrement applicables aux OmniAccess 4504, 4604, 4704 et Superisor Card III de l'Omn					
YAYAW	OAW-SSN-XSC128	xSec Module License (128 Sessions)	808 €	5	H		
YAYAW	OAW-SSN-XSC256	xSec Module License (256 Sessions)	1 538 €	5	H		
YAYAW	OAW-SSN-XSC512	xSec Module License (512 Sessions)	2 923 €	5	H		
YAYAW	OAW-SSN-XSC1024	xSec Module License (1024 Sessions)	5 538 €	5	H		
YAYAW	OAW-SSN-XSC2048	xSec Module License (2048 Sessions)	10 462 €	5	H		
YAYAW	OAW-SSN-XSC4096	xSec Module License (4096 Sessions)	18 831 €	5	H		
YAYAW	OAW-SSN-XSC8192	xSec Module License (8192 Sessions)	33 477 €	5	H		
		Licences pour Gestion de la Voix sur WLAN applicables aux OmniAccess 4504, 4604, 4704 et Superisor Card III de					
YAYAW	OAW-USR-VOC128	Voice Services Module License (128 Users)	608 €	5	H		
YAYAW	OAW-USR-VOC256	Voice Services Module License (256 Users)	1 154 €	5	H		
YAYAW	OAW-USR-VOC512	Voice Services Module License (512 Users)	2 192 €	5	H		
YAYAW	OAW-USR-VOC1024	Voice Services Module License (1024 Users)	4 154 €	5	H		
YAYAW	OAW-USR-VOC2048	Voice Services Module License (2048 Users)	7 846 €	5	H		
YAYAW	OAW-USR-VOC4096	Voice Services Module License (4096 Users)	14 123 €	5	H		
YAYAW	OAW-USR-VOC8192	Voice Services Module License (8192 Users)	25 108 €	5	H		
OmniAccess 4302 (Switch Wireless)							
YAYAW	OAW-4302-EU	OmniAccess 4302 with adaptive RF management. Provides 1 x auto-sensing 10/100 (Uplink) and 1 x 10/100/1000 (LAN) interfaces. Supports up to 6 OmniAccess APxx access points. Operates with remotely connected Access Points through a layer-2 or layer-3 network. Supports one auto-sensing 110V/240V AC to 12V DC power adapter brick and includes one accessory kit (installation guide, console cable with adapter and full product documentation CD). 19¿ rack mount kit shall be ordered	1 342 €	4	H		
		Option Sécurité pour OmniAccess 4302					
YAYAW	OAW-4302-PEF	Policy Enforcement Firewall Module for the OAW-4302 (6 AP License)	269 €	4	H		
YAYAW	OAW-4302-VPN	VPN Server Module for the OAW-4302 (6 AP License)	269 €	4	H		
YAYAW	OAW-4302-WIP	Wireless Intrusion Protection Module for the OAW-4302 (6 AP License)	269 €	4	H		
YAYAW	OAW-4302-XSC	xSec Module for the OAW-4302 (6 AP License)	269 €	4	H		
YAYAW	OAW-4302-ESI	External Services Interface Module for the OAW-4302 (6 AP License)	269 €	4	H		
YAYAW	OAW-4302-VOC	Voice Services Module for the OAW-4302 (6 AP License)	308 €	4	H		
OmniAccess 4304 (Switch Wireless)							
YAYAW	OAW-4304T-EU	OmniAccess 4304T with adaptive RF management. Provides 8 auto-sensing 10/100 interfaces with Power over Ethernet (PoE) and one 1000BaseT uplink. Supports up to 4 OmniAcess APxx Access Points. Operates directly connected to the Access Points or remotely connected through a Layer 2 or Layer 3 network. Supports one auto-sensing 110V/240V AC power supply and includes one accessory kit (installation guide, 19" equipment rack mount hardware, console cable with adapter	1 996 €	4	H		

Code	Référence	Désignation Produit	€H.T.	Cat fees	Sales Cat		
YAYAW	OAW-4304SX-EU	OmniAccess 4304SX with adaptive RF management. Provides 8 auto-sensing 10/100 interfaces with Power over Ethernet (PoE) and one 1000BaseSX uplink. Supports up to 4 OmniAcess APxx Access Points. Operates directly connected to the Access Points or remotely connected through a Layer 2 or Layer 3 network. Supports one auto-sensing 110V/240V AC power supply and includes one accessory kit (installation guide, 19" equipment rack mount hardware, console cable with adapter	2 458 €	4	H		
		Option Sécurité pour OmniAccess 4304					
YAYAW	OAW-4304-PEF	Policy Enforcement Firewall Module for the OAW-4304 (4 AP License).	500 €	5	H		
YAYAW	OAW-4304-VPN	VPN Server Module for the OAW-4304 (4 AP License).	500 €	5	H		
YAYAW	OAW-4304-WIP	Wireless Intrusion Protection Module for the OAW-4304 (4 AP License).	500 €	5	H		
YAYAW	OAW-4304-ESI	External Services Interface Module for the OAW-4304 (4 AP License).	500 €	5	H		
YAYAW	OAW-4304-XSC	xSec Module for the OAW-4304 (4 AP License).	500 €	5	H		
YAYAW	OAW-4304-VOC	Voice Services Module for the OAW-4304 (4 AP License)	600 €	5	H		
		Licences d'Upgrade d'OmniAccess 4304 vers OmniAccess 4308					
YAYAW	OAW-4304-4308-U	Upgrade from OAW-4304 to OAW-4308 (4 AP to 16 AP).	2 308 €	5	H		
YAYAW	OAW-4304-PEF-U	Policy Enforcement Firewall Upgrade OAW-4304-PEF to OAW-4308-PEF.	1 154 €	5	H		
YAYAW	OAW-4304-VPN-U	VPN Server Module Upgrade OAW-4304-VPN to OAW-4308-VPN.	1 154 €	5	H		
YAYAW	OAW-4304-WIP-U	Wireless Intrusion Protection Module Upgrade OAW-4304-WIP to OAW-4308-WIP.	1 154 €	5	H		
YAYAW	OAW-4304-ESI-U	External Services Interface Module Upgrade OAW-4304-ESI to OAW-4308-ESI.	1 154 €	5	H		
YAYAW	OAW-4304-XSC-U	xSec Module Upgrade OAW-4304-XSC to OAW-4308-XSC.	1 154 €	5	H		
YAYAW	OAW-4304-VOC-U	Voice Services Module Upgrade OAW-4304-VOC to OAW-4308-VOC	692 €	5	H		
OmniAccess 4308 (Switch Wireless)							
YAYAW	OAW-4308T-EU	**OmniAccess 4308T** with adaptive RF management. Provides 8 auto-sensing 10/100 interfaces with Power over Ethernet (PoE) and **one 1000BaseT uplink**. Supports up to 16 OmniAcess APxx Access Points. Operates directly connected to the Access Points or remotely connected through a Layer 2 or Layer 3 network. Supports one auto-sensing 110V/240V AC power supply and includes one accessory kit (installation guide, 19" equipment rack mount hardware, console cable with adapter	3 842 €	4	H		
YAYAW	OAW-4308SX-EU	**OmniAccess 4308SX** with adaptive RF management. Provides 8 auto-sensing 10/100 interfaces with Power over Ethernet (PoE) and **one 1000BaseSX uplink**. Supports up to 16 OmniAcess APxx Access Points. Operates directly connected to the Access Points or remotely connected through a Layer 2 or Layer 3 network. Supports one auto-sensing 110V/240V AC power supply and includes one accessory kit (installation guide, 19" equipment rack mount hardware, console cable with adapter and full product documentation CD)	4 227 €	4	H		
		Option Sécurité pour OmniAccess 4308					
YAYAW	OAW-4308-PEF	Policy Enforcement Firewall Module for the OAW-4308 (16 AP License).	1 538 €	5	H		
YAYAW	OAW-4308-VPN	VPN Server Module for the OAW-4308 (16 AP License).	1 538 €	5	H		
YAYAW	OAW-4308-WIP	Wireless Intrusion Protection Module for the OAW-4308 (16 AP License).	1 538 €	5	H		
YAYAW	OAW-4308-ESI	External Services Interface Module for the OAW-4308 (16 AP License).	1 538 €	5	H		
YAYAW	OAW-4308-XSC	xSec Module for the OAW-4308 (16 AP License).	1 538 €	5	H		
YAYAW	OAW-4308-VOC	Voice Services Module for the OAW-4308 (16 AP License)	1 077 €	5	H		
OmniAccess 4324 (Switch Wireless)							
YAYAW	OAW-4324-EU	**OmniAccess 4324.** 24 ports 10/100 Power over Ethernet (PoE) et 2 ports Gbic. **Supporte jusqu'à 48 Access Points** OmniAcess APxx . le switch manage les Access Points directement connectés sur les ports PoE ou les Access Points distants via le réseau Ethernet L2/L3. Supports one auto-sensing 110V/240V AC power supply and includes one accessory kit (installation guide, 19" equipment rack mount hardware, console cable with adapter and full product documentation CD). **Les adaptateurs doivent être commandés séparément**	6 919 €	4	H		
		Interface pour OmniAccess 4324					
YAYAW	OAW-GBIC-T	OmniAccess GBIC Interface Adapter - T.	385 €	4	H		
YAYAW	OAW-GBIC-SX	OmniAccess GBIC Interface Adapter - SX.	385 €	4	H		
YAYAW	OAW-GBIC-LX	OmniAccess GBIC Interface Adapter - LX.	615 €	4	H		
		Option Sécurité pour OmniAccess 4324					
YAYAW	OAW-4324-PEF	Policy Enforcement Firewall Module for the OAW-4324 (48 AP License).	3 077 €	5	H		
YAYAW	OAW-4324-VPN	VPN Server Module for the OAW-4324 (48 AP License).	3 077 €	5	H		
YAYAW	OAW-4324-WIP	Wireless Intrusion Protection Module for the OAW-4324 (48 AP License).	3 077 €	5	H		
YAYAW	OAW-4324-ESI	External Services Interface Module for the OAW-4324 (48 AP License).	3 077 €	5	H		
YAYAW	OAW-4324-XSC	xSec Module for the OAW-4324 (48 AP License).	3 077 €	5	H		
YAYAW	OAW-4324-VOC	Voice Services Module for the OAW-4324 (48 AP License)	2 692 €	5	H		
OmniAccess 6000 (Switch Wireless)							
YAYAW	OAW-6000-PS2-EU	Alcatel OmniAccess 6000 Chassis for non PoE configurations. Includes one modular 4-Slot 19" Chassis, one fan tray, two 200 Watt Auto-sensing 110V/240V AC PSU, one accessory kit.	2 304 €	4	H		
YAYAW	OAW-6000-PS4-EU	**Alcatel OmniAccess 6000 Chassis for PoE and Supervisor III configurations**. Includes one modular 4- Slot 19" Chassis, one fan tray, two 400 Watt Auto-sensing 110V/240V AC PSU, one accessory kit. Chassis EEPROM configured with unrestricted radio settings.	2 304 €	4	H		
		Carte de Supervision I et II pour OmniAccess 6000					
YAYAW	OAW-SC-1-48	OmniAccess Supervisor Card I with adaptive RF management and support for up to 48 Access Points. One OAW-6000 Chassis can accommodate one or two Supervisor Cards.	7 692 €	4			

Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
		TARIF					
YAYAW	OAW-SC-1-128	OmniAccess Supervisor Card I with adaptive RF management and support for up to 128 Access Points. One OAW-6000 Chassis can accommodate one or two Supervisor Cards.	11 538 €	4			
YAYAW	OAW-SC-2-256	OmniAccess Supervisor Card II with adaptive RF management and support for up to 256 Access Points. One OAW-6000 Chassis can accommodate one or two Supervisor Cards.	23 077 €	4			
	Carte de Supervision Nouvelle Génération pour OmniAccess 6000 (Sup						
YAYAW	OAW-S3-0-2X10G	OmniAccess Supervisor Card III , 10x 1000Base-X (SFP), 2x 10GBase-X (XFP), (no AP license included). One OAW-6000 Chassis can accommodate up to four (4) Supervisor Card III. Supporte le 802.11n	20 765 €	4	H		
YAYAW	OAW-S3-C-2X10G	OmniAccess Supervisor Card III , 10x 1000Base-X (SFP), 2x 10GBase-X (XFP), bundled with license to support 128 AP. One OAW-6000 Chassis can accommodate up to four (4) Supervisor Card III. Supporte le 802.11n	26 919 €	4	H		
	Interface pour Supervisor Card III OmniAccess 6000						
YAYAW	OAW-SFP-TX	OmniAccess Wireless SFP - 1000Base-T, RJ45	227 €	4	H		
YAYAW	OAW-SFP-SX	OmniAccess Wireless SFP - 1000Base-SX, LC Connector	304 €	4	H		
YAYAW	OAW-SFP-LX	OmniAccess Wireless SFP - 1000Base-LX, LC Connector	496 €	4	H		
YAYAW	OAW-XFP-SR	OmniAccess Wireless XFP - 850nm serial pluggable XFP optic (LC), target range 300m over MMF	1 765 €	4	H		
YAYAW	OAW-XFP-LR	OmniAccess Wireless XFP - 1310nm serial pluggable XFP optic (LC) for up to 10km over SMF	3 458 €	4	H		
	Interface pour OmniAccess 6000						
YAYAW	OAW-LC-2G	OmniAccess 2GE Line Card with support for two GBIC uplinks. GBIC adapters shall be ordered separately.	1 538 €	4	H		
YAYAW	OAW-LC-2G24F	OmniAccess 2GE24F Line Card with support for 24 auto-sensing 10/100 interfaces and two GBIC uplinks. GBIC adapters shall be ordered	3 846 €	4	H		
YAYAW	OAW-LC-2G24FP	OmniAccess 2GE24FP Line Card with support for 24 auto-sensing 10/100 interfaces with Power over Ethernet (PoE) and two GBIC uplinks. GBIC adapters shall be ordered separately. Requires an OAW-6000-PS4	5 385 €	4	H		
YAYAW	OAW-GBIC-T	OmniAccess GBIC Interface Adapter - T.	385 €	4	H		
YAYAW	OAW-GBIC-SX	OmniAccess GBIC Interface Adapter - SX.	385 €	4	H		
YAYAW	OAW-GBIC-LX	OmniAccess GBIC Interface Adapter - LX.	615 €	4	H		
	Option Sécurité pour OmniAccess 6000						
YAYAW	OAW-SC1-48-PEF	Policy Enforcement Firewall Module for the OAW-SC-1-48 (48 AP	3 846 €	5	H		
YAYAW	OAW-SC1-48-VPN	VPN Server Module for the OAW-SC-1-48 (48 AP License).	3 846 €	5	H		
YAYAW	OAW-SC1-48-WIP	Wireless Intrusion Protection Module for the OAW-SC-1-48 (48 AP	3 846 €	5	H		
YAYAW	OAW-SC1-48-ESI	External Services Interface Module for the OAW-SC-1-48 (48 AP License).	3 846 €	5	H		
YAYAW	OAW-SC1-48-XSC	xSec Module for the OAW-SC-1-48 (48 AP License).	3 846 €	5	H		
YAYAW	OAW-SC1-PEF	Policy Enforcement Firewall Module for the OAW-SC-1-128 (128 AP	6 154 €	5	H		
YAYAW	OAW-SC1-VPN	VPN Server Module for the OAW-SC-1-128 (128 AP License).	6 154 €	5	H		
YAYAW	OAW-SC1-WIP	Wireless Intrusion Protection Module for the OAW-SC-1-128 (128 AP	6 154 €	5	H		
YAYAW	OAW-SC1-ESI	External Services Interface Module for the OAW-SC-1-128 (128 AP	6 154 €	5	H		
YAYAW	OAW-SC1-XSC	xSec Module for the OAW-SC-1-128 (128 AP License).	6 154 €	5	H		
YAYAW	OAW-SC1-48-VOC	Voice Services Module for the OAW-SC-1-48 (48 AP license)	3 846 €	5	H		
YAYAW	OAW-SC1-VOC	Voice Services Module for the OAW-SC-1-128 (128 AP License)	6 538 €	5	H		
YAYAW	OAW-SC2-PEF	Policy Enforcement Firewall Module for the OAW-SC-2-256 (256 AP	12 308 €	5	H		
YAYAW	OAW-SC2-VPN	VPN Server Module for the OAW-SC-2-256 (256 AP License).	12 308 €	5	H		
YAYAW	OAW-SC2-WIP	Wireless Intrusion Protection Module for the OAW-SC-2-256 (256 AP	12 308 €	5	H		
YAYAW	OAW-SC2-ESI	External Services Interface Module for the OAW-SC-2-256 (256 AP	12 308 €	5	H		
YAYAW	OAW-SC2-XSC	xSec Module for the OAW-SC-2-256 (256 AP License).	12 308 €	5	H		
YAYAW	OAW-SC2-VOC	Voice Services Module for the OAW-SC-2-256 (256 AP license)	11 538 €	5	H		
	Licences d'Upgrade OmniAccess 6000						
YAYAW	OAW-SC1-48-128U	Software-based system upgrade for the OAW-SC-1-48 enabling 128 AP support. 48 AP optional software modules must also be upgraded.	3 846 €	5	H		
YAYAW	OAW-SC1-PEF-UG1	Policy Enforcement Firewall Module for the OAW-SC-1-48 (Upgrade 48 AP to 128 AP).	3 846 €	5	H		
YAYAW	OAW-SC1-VPN-UG1	VPN Server Module for the OAW-SC-1-48 (Upgrade 48 AP to 128 AP).	3 846 €	5	H		
YAYAW	OAW-SC1-WIP-UG1	Wireless Intrusion Protection Module for the OAW-SC-1-48 (Upgrade 48 AP to 128 AP)	3 846 €	5	H		
YAYAW	OAW-SC1-ESI-UG1	External Services Interface Module for the OAW-SC-1-48 (Upgrade 48 AP to 128 AP).	3 846 €	5	H		
YAYAW	OAW-SC1-XSC-UG1	xSec Module for the OAW-SC-1-48 (Upgrade 48 AP to 128 AP)	3 846 €	5	H		
YAYAW	OAW-SC1-VOC-UG1	Voice Services Module for the OAW-SC-1-48 (Upgrade 48 AP to 128 AP)	3 077 €	5	H		
	POINTS D'ACCES Extérieur Nouvelle Génération - Supporte le 802.11a et 802.11b/g (Remplace l'AP80)						
YAYAZ	OAW-AP85TX	OmniAccess AP85TX: Point d'accès extérieur radio double avec prise en charge des normes 802.11a et 802.11b/g. Comprend une interface Ethernet 10/100 baseT (RJ-45) avec PoE 802.3af, quatre connecteurs d'antennes externes (deux pour la bande 2,4 GHz et deux pour la bande 5 GHz) et une interface d'alimentation 12 V CC.	1 535 €	1	H		
YAYAZ	OAW-AP85FX	OmniAccess AP85TX: Point d'accès extérieur radio double avec prise en charge des normes 802.11a et 802.11b/g. Comprend une interface FO 100Mbit, quatre connecteurs d'antennes externes (deux pour la bande 2,4 GHz et deux pour la bande 5 GHz) et une interface d'alimentation 12 V CC.	1 919 €	1	H		
	POINTS D'ACCES Intérieur Nouvelle Génération - Supporte le 802.11b/g/n et 802.11a/n						
YAYAZ	OAW-AP105	OmniAccess AP105 wireless access point. Dual radio IEEE 802.11a/b/g/n (draft 2.0) wireless access point with support for 802.11'B/G/N' and 802.11'A/N' operation, dual-band integral antenna, 1 x 10/100/1000Base-T (RJ-45) Ethernet Interface (Supports 802.3af ¿Power over Ethernet¿), 1 x 5V DC power interface. AC power adapter kit sold	535 €	1	H		

Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
YAYAZ	OAW-AP124	OmniAccess AP124 wireless access point. **OAW-AP124 IEEE 802.11n** (draft 2.0) wireless access point with support for selectable 802.11'B/G/N' and 802.11'A/N' operation, 3x3 **MIMO** dual-band RP-SMA **detachable antenna interfaces, 2 x 10/100/1000Base-T (RJ-45) Ethernet interface** (Supports high power "Power over Ethernet"), 1 x Console Port, 1 x 5V DC power interface. Includes installation guide and removable desktop stand. AC power adapter kit and Antenna sold separately.	765 €	1	H		
YAYAZ	OAW-AP125	OmniAccess AP125 wireless access point. **OAW-AP125 IEEE 802.11n** (draft 2.0) wireless access point with support for selectable 802.11'B/G/N' and 802.11'A/N' operation, 3x3 **MIMO** dual-band antenna **(antenne intégrée), 2 x 10/100/1000Base-T (RJ-45) Ethernet Interface** (Supports high power "Power over Ethernet"), 1 x Console Port, 1 x 5V DC power interface. Includes installation guide and removable desktop stand. AC power adapter kit sold separately.	765 €	1	H		
POINTS D'ACCES							
YAYAZ	OAW-AP60	OmniAccess AP60 access point with Dual RP-SMA external antenna connectors (Supports Diversity). Supports 802.11a or 802.11b/g (SW selectable). Supports one 10/100 Base-T (RJ-45) Ethernet Interface (Power and Serial over Ethernet capable) and Installation Guide. **Antenna shall be ordered separately.** When no Power over Ethernet is available, an external Power Adapter Kit shall be ordered separately.	227 €	1	H		
YAYAZ	OAW-AP61	OmniAccess AP61 access point with Integral Tri-Band Antenna (Supports Diversity). Supports 802.11a or 802.11b/g (SW selectable). Supports one 10/100 Base-T (RJ-45) Ethernet Interface (Power and Serial over Ethernet capable) and Installation Guide. When no Power over Ethernet is available, an external Power Adapter Kit shall be ordered separately.	227 €	1	H		
YAYAZ	OAW-AP65	OmniAccess AP65 access point with Integral Antenna (2.4Ghz & 5Ghz Bands with Diversity). Supports 802.11a and 802.11b/g. Supports one 10/100 Base-T (RJ-45) Ethernet Interface (803.3af compliant and SoE capable). Includes an Installation Guide. When no Power over Ethernet is available, an external Power Adapter Kit shall be ordered separately.	381 €	1	H		
YAYAZ	OAW-AP70	OmniAccess AP70 access point with Integral Antenna and Quad RP-SMA external antenna connectors (2.4Ghz & 5Ghz Bands with Diversity). Supports 802.11a and 802.11b/g. Supports two 10/100 Base-T (RJ-45) Ethernet Interface (one with Power and Serial over Ethernet and one with Power over Ethernet capability) and one USB2.0 interface. Includes an Installation Guide. If required, an external antenna shall be ordered separately. When no Power over Ethernet is available, an external Power	458 €	1	H		
Licences MESH pour OmniAccess Wireless (Soultion Indoor et Outdoor Mesh AP)							
Licence MESH pour OmniAccess Wireless (Soultion Indoor Mesh AP - Applicable aux OAW-AP60/61, OAW-AP65 a							
YAYAW	OAW-AP-IMP1	Indoor Mesh Point License (single Mesh AP license)	212 €	4	H		
YAYAW	OAW-AP-IMP2	Indoor Mesh Point License (2 Mesh AP license)	423 €	4	H		
YAYAW	OAW-AP-IMP4	Indoor Mesh Point License (4 Mesh AP license)	815 €	4	H		
YAYAW	OAW-AP-IMP6	Indoor Mesh Point License (6 Mesh AP license)	1 169 €	4	H		
YAYAW	OAW-AP-IMP8	Indoor Mesh Point License (8 Mesh AP license)	1 508 €	4	H		
YAYAW	OAW-AP-IMP16	Indoor Mesh Point License (16 Mesh AP license)	2 946 €	4	H		
YAYAW	OAW-AP-IMP24	Indoor Mesh Point License (24 Mesh AP license)	4 169 €	4	H		
YAYAW	OAW-AP-IMP32	Indoor Mesh Point License (32 Mesh AP license)	5 354 €	4	H		
YAYAW	OAW-AP-IMP48	Indoor Mesh Point License (48 Mesh AP license)	7 823 €	4	H		
YAYAW	OAW-AP-IMP64	Indoor Mesh Point License (64 Mesh AP license)	10 154 €	4	H		
YAYAW	OAW-AP-IMP128	Indoor Mesh Point License (128 Mesh AP license)	19 769 €	4	H		
YAYAW	OAW-AP-IMP256	Indoor Mesh Point License (256 Mesh AP license)	37 908 €	4	H		
Licence MESH pour OmniAccess Wireless (Soultion Outdoor Mesh AP - Applicable à l'OAW-AP85)							
YAYAW	OAW-AP-MAP1	Outdoor Mesh Point License (single Mesh AP license)	612 €	4	H		
YAYAW	OAW-AP-MAP2	Outdoor Mesh Point License (2 Mesh AP license)	1 223 €	4	H		
YAYAW	OAW-AP-MAP4	Outdoor Mesh Point License (4 Mesh AP license)	2 331 €	4	H		
YAYAW	OAW-AP-MAP6	Outdoor Mesh Point License (6 Mesh AP license)	3 377 €	4	H		
YAYAW	OAW-AP-MAP8	Outdoor Mesh Point License (8 Mesh AP license)	4 362 €	4	H		
YAYAW	OAW-AP-MAP16	Outdoor Mesh Point License (16 Mesh AP license)	8 515 €	4	H		
YAYAW	OAW-AP-MAP24	Outdoor Mesh Point License (24 Mesh AP license)	12 038 €	4	H		
YAYAW	OAW-AP-MAP32	Outdoor Mesh Point License (32 Mesh AP license)	15 462 €	4	H		
YAYAW	OAW-AP-MAP48	Outdoor Mesh Point License (48 Mesh AP license)	22 608 €	4	H		
YAYAW	OAW-AP-MAP64	Outdoor Mesh Point License (64 Mesh AP license)	29 354 €	4	H		
YAYAW	OAW-AP-MAP128	Outdoor Mesh Point License (128 Mesh AP license)	57 146 €	4	H		
YAYAW	OAW-AP-MAP256	Outdoor Mesh Point License (256 Mesh AP license)	109 592 €	4	H		
OmniAcces (Wireless) - Accessoires							
YAYAZ	OAW-AP60-MNT	OmniAccess AP60 and AP61 wall / ceiling mounting kit. Includes mounting cradle hardware, ceiling tile clips and security screws to mount the access point securely on wall or ceiling (Kit de fixation mural pour point d'accès AP60 et AP61)	27 €	1	H		
YAYAZ	OAW-AP65-MNT	OmniAccess AP65 wall / ceiling / desktop mounting kit (Kit de fixation mural pour point d'accès AP65)	27 €	1	H		
YAYAZ	OAW-AP70-MNT	OmniAccess AP70 wall / ceiling mounting kit. Includes mounting cradle hardware, ceiling tile clips and security screws to mount the access point securely on wall or ceiling (Kit de fixation mural pour point d'accès AP70)	27 €	1	H		
YAYAZ	OAW-AP85-MNT	OAW-AP85 Mounting Kit. Includes: Wall, pole and mast mount kit for use with OAW-AP85 (all models) wireless access points (Kit de fixation mural pour point d'accès AP85)	135 €	1	H		
YAYAZ	OAW-AP120-MNT	OmniAccess AP12x series wireless access point wall / ceiling mounting kit. Includes: 1 x wall mounting cradle complete with security plate and anti-tamper screws, 1 x 15/16" to 9/16" recessed ceiling tile rail adapter and 1 x 15/16" to 15/16" recessed ceiling tile rail adapter - (Kit de fixation mural pour point d'accès AP124 et AP125)	27 €	1	H		
YAYAZ	OAW-AP60-ENCL	NEMA Enclosure for the OmniAccess AP60 and AP61.	154 €	1	H		

Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
		TARIF					
YAYAZ	OAW-AP-MS1	1 Port POE Midspan (Power Injector pour alimentation des bornes sur switch non PoE)	42 €	1	H		
YAYAZ	OAW-AP-AC-EC	OmniAccess access point Power Adapter Kit for OAW-AP60/61/65/70/120 series . Should be ordered when Access Point cannot be powered with Power over Ethernet. Contain: Auto- sensing 110V/240V AC Power Brick complete with AC Power Cable (Schuko).	35 €	1	H		
		Passerelles sécurisée					
5510							
YAYCH	OAR5510-AA	OmniAccess 5510 with 1 ADSL2+ Annex A (ADSL over POTS), 1 10/100 port, 4 port 10/100 Switch, external AC power supply. Software image includes Routing, Firewall, QoS. DC power supply, Rack mount kit (also used as power supply tray) available separately.	765 €	4	S		
YAYCH	OAR5510-AB	OmniAccess 5510 with 1 ADSL2+ Annex B (ADSL over ISDN), 1 10/100 port, 4 port 10/100 Switch, external AC power supply. Software image includes Routing, Firewall, QoS. DC power supply, Rack mount kit (also used as power supply tray) available separately.	765 €	4	S		
YAYCH	OAR5510-SR	OmniAccess 5510 with 1 Serial (V.35, X.21, RS232), 1 10/100 port, 4 port 10/100 Switch, external AC power supply. Software image includes Routing, Firewall, QoS. DC power supply, Rack mount kit (also used as power supply tray) available separately.	1 227 €	4	S		
YAYCH	OAR5510-TE	OmniAccess 5510 with 1 T1/E1, 1 10/100 port, 4 port 10/100 Switch, external AC power supply. Software image includes Routing, Firewall, QoS. DC power supply, Rack mount kit (also used as power supply tray)	1 381 €	4	S		
YAYCH	OAR-SS-232-FC	RS-232 DCE Cable 10 feet (3 meter) for OAR5510-SR	77 €	4	S		
YAYCH	OAR-SS-232-MT	RS-232 DTE Cable 10 feet (3 meter) for OAR5510-SR	77 €	4	S		
YAYCH	OAR-SS-V35-FC	V.35 DCE Cable 10 feet (3 meter) for OAR5510-SR	77 €	4	S		
YAYCH	OAR-SS-V35-MT	V.35 DTE Cable 10 feet (3 meter) for OAR5510-SR	77 €	4	S		
YAYCH	OAR-SS-X21-FC	X.21 DCE Cable 10 feet (3 meter) for OAR5510-SR	77 €	4	S		
YAYCH	OAR-SS-X21-MT	X.21 DTE Cable 10 feet (3 meter) for OAR5510-SR	77 €	4	S		
YAYCH	OAR5510-PSAC	Spare AC Power Supply 40W for OmniAccess 5510 (already included with system chassis). Ships with country specific power cord	77 €	4	S		
YAYCH	OAR5510-PSDC	Optional DC Power Supply for OmniAccess 5510. Must be installed in the Rack Mount and Power Supply Tray Kit (sold separately)	192 €	4	S		
YAYCH	OAR5510-RM-19	Rack Mount and Power Supply Tray Kit for OmniAccess 5510. Includes tray and mounting ears. Mounts to the side of the system to fit in a 19" rack. The tray also holds the power supply brick. Two systems fit side by side in a rack with the trays in the back	58 €	4	S		
YAYCP	OAR5510-SW-ENC	Feature license for IPSec VPN encryption.	308 €	5	S		
YAYCP	OAR5510-SW-IDP1	One year subscription license for IDP updates.	308 €	5	S		
YAYCP	OAR5510-SW-ROVR	Feature license for SIP Voice Survivability solution ROVR (Remote Office Voice Resilency)	462 €	5	S		
		LOGICIELS D'ADMINISTRATION					
OmniVista 2000							
YAYBI	OV-NMS-CD-R3	**OmniVista 2500 & 2700 NMS** CD. Contains all **OmniVista 2500 core & OmniVista 2700 optional applications** (PolicyView, SecureView Secure Access, SecureView ACL, Quarantine Manager). Ordering specific license card is required to active each respective application - Check New license, Upgrade, Evaluation sections for further details. OmniVista 2500 & 2700 support Microsoft Windows, Linux, Sun Solaris. This CD contains OmniVista 2500 & 2700 r**elease 3.0**	**Gratuit**		A		
YAYBP	OV2520-BSU-R3	License Card for **OV2520 Single-User** - New installation - Release 3. **OmniVista 2520** provides centralized network-wide monitoring and configuration for Alcatel Enterprise Networking devices and third Party devices. Order OV-NMS-CD-R3 separately	3 842 €	5	A		
YAYBP	OV2540-BMU-R3	License Card for **OV2540 Multi-User** - New installation - Release 3. OmniVista 2540 provides centralized network-wide monitoring and configuration for Alcatel Enterprise Networking devices and third Party devices. Order OV-NMS-CD-R3 separately	6 919 €	5	A		
YAYBP	OV2730-PVOT-R3	License card for OV2730 PolicyView - New installation - Release 3. **OmniVista 2730 PolicyView** provides QoS automation for Alcatel AOS devices. PolicyView 2730 is an optional application for complex settings, it requires OmniVista 2540 or 2520. Order OV-NMS-CD-R3 separately	3 073 €	5	A		
YAYBP	OV2750-SVSA-R3	License card for OV2750 SVSA SecureView- Secure Access- New installation - Release 3.**OmniVista 2750 SecureView SecureAccess** provides centralized control of switch access and user credentials for Alcatel AOS devices through centralized administration and deployment. SecureView SecureAccess 2750 is an optional application for complex settings, it requires OmniVista 2540 or 2520. Order OV-NMS-CD-R3	1 150 €	5	A		
YAYBP	OV2760-SVACL-R3	License card for OV2760 SV-ACL SecureView- ACL - New installation - Release 3. **OmniVista 2760 SecureView ACL** provides Network Security automation through policy driven administration and deployment for ACL. Supports Alcatel AOS devices. SecureView ACL 2760 is an optional application for complex settings, it requires OmniVista 2540 or 2520. Order OV-NMS-CD-R3 separately	5 381 €	5	A		
YAYBP	OV2770-QM-R3	License card for OV2770 Quarantine Manager- New installation- Release 3. **OmniVista 2770 Quarantine Manager** provides Network quarantine services through containment automation. Supports Alcatel devices. Quarantine Manager 2770 is an optional application managing complex settings, it requires OmniVista 2540 or 2520. Order OV-NMS-CD-R3	11 535 €	5	A		
	OmniVista - Version d'évaluation						
YAYBI	OV2540-EVAL-R3	License card for OV2540 Multi-User- Evaluation version 60 days - Release 3.0OmniVista 2540 provides centralized network-wide monitoring and configuration for Alcatel Enterprise Networking devices and third Party devices. Order OV-NMS-CD-R3 separately	**Gratuit**	5	A		

Code	Référence	Désignation Produit	Prix Public €H.T.	Cat fees	Sales Cat		
		TARIF					
YAYBI	OV2730-EVAL-R3	License card for OV2730 PolicyView - Evaluation version 60 days - Release 3.0OmniVista 2520 provides centralized network-wide monitoring and configuration for Alcatel Enterprise Networking devices and third Party devices. Order OV-NMS-CD-R3 separately.	**Gratuit**	5	A		
YAYBI	OV2750-EVAL-R3	License card for OV2750 SecureView SecureAccess - Evaluation version 60 days - Release 3.0OmniVista 2750 SecureView SecureAccess provides centralized control of switch access and user credentials for Alcatel AOS devices through centralized administration and deployment. SecureView SecureAccess 2750 is an optional application for complex settings, it requires OmniVista 2540 or 2520. Order OV-NMS-CD-R3 separately.	**Gratuit**	5	A		
YAYBI	OV2760-EVAL-R3	License card for OV2760 SecureView ACL - Evaluation version 60 days - Release 3.0OmniVista 2760 SecureView ACL provides Network Security automation through policy driven administration and deployment for ACL. Supports Alcatel AOS devices. SecureView ACL 2760 is an optional application for complex settings, it requires OmniVista 2540 or 2520. Order OV-NMS-CD-R3 separately.	**Gratuit**	5	A		
YAYBI	OV2770-EVAL-R3	License Card for OV2770 Quarantine Manager - Evaluation version 60 days - Release 3.0OmniVista 2770 Quarantine Manager provides Network quarantine services through containment automation. Supports Alcatel devices. Quarantine Manager 2770 is an optional application managing complex settings, it requires OmniVista 2540 or 2520. Order OV-NMS-CD-	**Gratuit**	5	A		
	OmniVista - Management Software Upgrades						
YAYBP	OV2520-UPG-R3	License card for OV2520 Single User - Upgrade to release 3.0 from any previous OV2520 release. OmniVista 2520 provides centralized network-wide monitoring and configuration for Alcatel Enterprise Networking devices and third Party devices. Order OV-NMS-CD-R3 separately.	**1 535 €**	5	A		
YAYBP	OV2540-UPG-R3	License card for OV2540 Multi User. Upgrade to release 3.0 from any previous OV2540 release. OmniVista 2540 provides centralized network-wide monitoring and configuration for Alcatel Enterprise Networking devices and third Party devices. Order OV-NMS-CD-R3 separately	**2 688 €**	5	A		
YAYBP	OV2730-UPG-R3	License card for OV2730 PolicyView. Upgrade to release 3.0 from any previous OV2730 release. OmniVista 2730 PolicyView provides QoS automation for Alcatel AOS devices. PolicyView 2730 is an optional application for complex settings, it requires OmniVista 2540 or 2520. Order OV-NMS-CD-R3 separately	**1 150 €**	5	A		
YAYBP	OV2750-UPG-R3	License card for OV2750 SecureView Secure AccessUpgrade to release 3.0 from any previous OV2752 release. OmniVista 2750 SecureView SecureAccess provides centralized control of switch access and user credentials for Alcatel AOS devices through centralized administration and deployment. SecureView SecureAccess 2750 is an optional application for complex settings, it requires OmniVista 2540 or 2520. Order OV-NMS-	**381 €**	5	A		
YAYBP	OV2760-UPG-R3	License for OV2760 SecureView ACL. Upgrade to release 3.4 from any previous release OmniVista 2760SecureView ACL provides Network Security automation through policy driven administration and deployment for ACL. Supports Alcatel-Lucent AOS devices. SecureView ACL 2760 is an optional application for complex settings, it requires OmniVista 2540 or OmniVista 2520-BSU Order OV-NMS-CD-R3 separately	**1 150 €**	5	A		
YAYBP	OV2770-UPG-R3	License card for OV2770 Quarantine Manager. Upgrade to release 3.0 from any previous OV2770 release. OmniVista 2770 Quarantine Manager provides Network quarantine services through containment automation. Supports Alcatel devices. Quarantine Manager 2770 is an optional application managing complex settings, it requires OmniVista 2540 or 2520. Order OV-NMS-CD-R3 separately	**2 304 €**	5	A		
YAYBP	OV2790-UPG-R3	License for OV2790 Web Services. Upgrade to release 3.4 from any previous release OmniVista 2790OmniVista 2790 Web Services provides Web Services APIs for OmniVista 2540 Multi-User environment. Web Services APIs for devices discovery, topology, trap monitoring, locator functionalities and locator database access .Web Services allows Network Managers to develop custom front end application for OmniVista 2540 Server using script based language (Perl, PHP, Java)Web Services package includes Web GUI client for Web browser (Microsoft Internet Explorer 6.0, 7.0 & Firefox 2.0 Supported). OmniVista 2790 Web Services is an optional application to develop custom network management application. it required OmniVista 2540 Multi-User Server, not included.	**381 €**	5	A		
	OmniVista - Autres						
YAYBP	OV2221-SMC-WIN	OmniVista 2200 Switch Manager Client for Windows software is the element manager for XOS based devices. This product complements the OmniVista NMS suite of products and provides direct access to each supported device. Features include a GUI based interface for all supported XOS devices, the ability to configure each device and to obtain information from that device. This package provides a single user license to run this software on a single PC that is acting as the Client in the OmniVista 2500 NMS Series environment or on the single PC running the OmniVista 2520 NMS Series. This product is designed to run on Windows NT, 2000 or XP	**385 €**	5	A		
YAYBP	OV2223-SMC-SOL	OmniVista 2200 Switch Manager Client for Solaris software is the element manager for XOS based devices. This product complements the OmniVista NMS suite of products and provides direct access to each supported device. Features include a GUI based interface for all supported XOS devices, the ability to configure each device and to obtain information from that device. This package provides a single user license to run this software on a single PC that is acting as the Client in the OmniVista 2540 NMS Series environment or on the single PC running the OmniVista 2520 NMS Series specifically for the Solaris 2.7 environments. This software is designed to execute on Sun Ultra 5 or better workstations.	**654 €**	5	A		